

# Markscheme

**May 2017**

**Biology**

**Higher level**

**Paper 3**

26 pages

This markscheme is the property of the International Baccalaureate and must **not** be reproduced or distributed to any other person without the authorization of the IB Global Centre, Cardiff.

### Section A

Question			Answers	Notes	Total
1.	a	i	spirometer <b>OR</b> lung volume capacity bag/balloon <b>OR</b> chest belt <b>OR</b> pressure meter ✓	<i>Do not accept respirometer</i>	1
	a	ii	a. set to zero mark / «re»calibrate ✓ b. sit up straight or stand up/same position ✓ c. inspire/inhale as deeply as possible «through mouthpiece» expire/exhale as completely as possible ✓ d. several times ✓ e. Detail specific to apparatus such as displacement of water when using a balloon ✓		2 max
	b		a. «useful as» will increase FVC «over time» ✓ b. «not useful as» no effect on FEV «is similar to control / small increase» ✓ c. consequence not clear «maybe only runners with higher FVC succeed to professional level» ✓		1 max
	c		age / sex / health / height / mass ✓	<i>Do not accept BMI</i>	1 max

Question			Answers	Notes	Total
2.	a		$\times 50$ ✓	Accept range $\times 45$ to $\times 50$ Calculation not required.	1
	b		a. place the object on the stage «centred» below the objective lens/above the light ✓ b. focus by moving the objective lens and specimen apart rather than towards each other ✓ c. use coarse/large focusing first/to find areas of interest and then fine/small focusing «knob» ✓ d. use low power first/to find areas of interest <b>OR</b> use high power to look in detail ✓ e. adjust light intensity ✓		3 max
	c		living tissue can be observed / portable / cheaper / easier to use / possibility of observing movements / image is in colour / larger field of view can be observed ✓		1 max

Question			Answers	Notes	Total
3.	a		a. decrease in chlorophyll concentrations as decrease in phytoplankton/plants ✓ b. due to increase in pollution / increase in sea temperatures / decrease in pH/climate change ✓	Accept other reasonable reason for mp b.	2 max
	b		<i>Advantages of mesocosm experiments:</i> a. scientist can alter/manipulate/control environmental conditions ✓ b. allows carrying out experiments with many samples / replicates ✓ c. ease of collection of continuous data ✓  <i>Limitations of mesocosm experiments:</i> d. difficult to mimic natural environmental conditions exactly ✓ e. Natural environments change /are not static ✓	Needs to suggest advantage and limitation for full marks.	3 max

## Section B

### Option A — Neurobiology and behaviour

Question			Answers	Notes	Total
4.	a		<p>a. positive correlation «between grey matter volume and white matter volume»  <b>OR</b>  as white matter «volume» increases so does grey matter «volume» ✓</p> <p>b. as animal/brain size increase the volume of grey and white matter are  «approaching» equal  <b>OR</b>  as volume of grey matter increases, the ratio grey : white becomes closer to 1 ✓</p>	<p><i>Do not allow directly proportional.</i>  <i>Accept answers in the converse.</i></p>	1 max
	b		<p>a. axon grows from an «immature» neuron ✓</p> <p>b. chemical stimuli trigger the growth/direction of axon ✓</p> <p>c. only one axon develops per neuron ✓</p> <p>d. some axons extend beyond neural tube to reach other parts of body ✓</p>		2 max
	c		<p><i>Structure</i></p> <p>a. divided into left and right hemisphere ✓</p> <p>b. has extensive folding ✓</p> <p>c. has a large surface area : volume ratio ✓</p> <p><i>Function</i></p> <p>d. responsible for higher order functions/learning/memory/language/thinking ✓</p> <p>e. functions are located in specific areas of the cortex/lobes ✓</p> <p>f. sensory/motor functions of the left hemisphere correspond to the right side of the body ✓</p>	<p><i>To achieve full marks needs to mention one structure and one function.</i></p>	3 max

Question			Answers	Notes	Total
	<b>d</b>		a. «brain» cells/neurons carry out large amount of respiration/metabolic activity ✓ b. maintenance of resting potential requires energy/ATP <b>OR</b> functioning of Na-K pumps requires energy/ATP <b>OR</b> nerve impulse requires energy/ATP ✓		<b>1 max</b>
	<b>e</b>		gut muscles / heart rate/cardiac centre / vasomotor / breathing/ventilation rate / reflex centre of vomiting/coughing/sneezing/swallowing ✓		<b>1 max</b>

<b>5.</b>	<b>a</b>		a. microphone outside the ear pick up sounds ✓ b. sound waves converted to electronic/digital signals ✓ c. electronic impulses sent to electrode in cochlea ✓ d. «electrode» directly stimulates auditory nerve ✓ e. signals «generated by implant» sent to brain which recognizes signals as sound ✓		<b>3 max</b>
	<b>b</b>		semicircular canals		<b>1</b>
	<b>c</b>		a. transmit the signals from the photoreceptors «rods and cones» to the ganglion cells ✓ b. groups of/more than one rod cell synapse with one bipolar cell ✓ c. one cone cell synapses with one bipolar cell ✓ d. once light is absorbed bipolar cell depolarizes ✓ e. activates/depolarizes a ganglion cell ✓		<b>3 max</b>

Question			Answers	Notes	Total
6.	a		<p>a. jumping performance shows an improvement «during the first two/three weeks»  <b>OR</b>  no/little improvement as error bars all overlap ✓</p> <p>b. «during the period of this investigation» it reaches a plateau ✓</p> <p>c. the investigation was over a short time and is not conclusive of the effects of training over a longer period ✓</p>		2 max
	b		<p>a. sensory/afferent neuron ✓</p> <p>b. motor/efferent neuron ✓</p> <p>c. relay neuron/interneuron ✓</p>	<p><i>Two correct for [1]</i></p> <p><i>Three correct for [2]</i></p>	2 max
	c		<p>a. operant conditioning/classical conditioning/trial and error experiences ✓</p> <p>b. behaviour could be modified by positive/negative reinforcement ✓</p> <p>c. animal makes an association between a particular behaviour and a consequence ✓</p>	<p><i>Accept reward/punishment and/or examples such as food/electric shock.</i></p>	2 max
	d		<p>a. innate behaviour inherited/develops independently of environment  <b>OR</b>  Changes in innate behaviour depend on change in frequency of alleles that cause the behaviour ✓</p> <p>b. example of an innate behaviour ✓</p> <p>c. description of the behaviour ✓</p> <p>d. outcomes affecting survival ✓</p>	<p><i>eg</i></p> <p><i>b. synchronized oestrus in female lions</i></p> <p><i>c. female lions can share responsibilities / females can suckle each other's cubs allowing some mothers to hunt</i></p> <p><i>d. cubs are more likely to survive when they are raised in a group «nursery» rather than by a solitary mother / group of male cubs can leave pride together helping each other</i></p>	3 max



Question			Answers	Notes	Total
7.			<p>a. examples are benzodiazepines / THC / cannabis / alcohol ✓</p> <p>b. block / decrease synaptic transmission ✓</p> <p>c. causing less transfer of information to the brain / decreasing brain activity ✓</p> <p>d. benzodiazepines increase effect of GABA ✓</p> <p>e. GABA is an inhibitory neurotransmitter ✓</p> <p>f. Increase permeability of neural membrane to chloride ions/hyperpolarizes the neuron ✓</p> <p>g. alcohol enhances effect of GABA ✓</p> <p>h. «alcohol» also decreases activity of glutamate, an excitatory neurotransmitter ✓</p> <p>i. THC/cannabis can block cannabinoid receptors ✓</p> <p>j. «THC» inhibits release of neurotransmitters that excite postsynaptic neurons/membranes ✓</p> <p>k. use of psychoactive drugs can lead to dependence/addiction / alter dopamine levels ✓</p>		6 max

**Option B — Biotechnology and bioinformatics**

Question			Answers	Notes	Total
8.	a	i	lack of oxygen/anoxic/anaerobic conditions / acidic pH / warm temperature / methanogens / acidogenic bacteria ✓	<i>Mark first answer given</i> <i>Reject bacteria alone</i>	<b>1 max</b>
		ii	a. increased variety of substrates used ✓ b. change in the proportion of substrates used <b>OR</b> from 1997 to 2004 increase in slaughterhouse waste ✓ c. less reliance on manure/increase use from food industry ✓ d. waste from food industry results in higher biogas yield ✓		<b>2 max</b>
	b		a. microbial population can be maintained in a state of exponential growth for a long time <b>OR</b> concentration of microorganisms in fermenter stable ✓ b. «balanced growth is» maintained by keeping nutrients/medium/pH/ temperature/oxygen level constant ✓ c. nutrients are added <u>and</u> products removed «at steady rate» ✓ d. probes used to monitor conditions within fermenters ✓ e. open fermentation/fermenter ✓		<b>3 max</b>
	c		a. Gram-negative bacteria have a thinner peptidoglycan cell wall / Gram-positive bacteria have a thicker peptidoglycan cell wall ✓ b. Gram-negative bacteria have an additional membrane of «lipopolysaccharide and protein» outside the wall «whereas Gram-positive bacteria do not» ✓		<b>1 max</b>

Question			Answers	Notes	Total
9.	a		a. identify a start codon and stop codon ✓ b. identify base sequences for a gene/that could code for a polypeptide ✓ c. possible correlation with existing open reading frames in databases ✓		2 max
	b		a. represent common ancestors shared by the organisms that emanate from the point ✓ b. indicates time since divergence ✓ c. indicates number of differences in DNA ✓		1 max
	c		a. plant cells made into protoplasts by removing their cell wall / use cellulase to produce protoplasts ✓ b. physical methods such as electroporation /microinjection/biolistics ✓ c. chemical methods such as liposomes/calcium chloride/polyethylene glycol «PEG» ✓ d. vectors such as <i>Agrobacterium</i> /tobacco mosaic virus ✓		2 max

Question			Answers	Notes	Total
10.	a	i	cooling- or heating-water systems / rocks at the bottom of a river / teeth «of most animals» / prepared on sewage treatment plants / boat hulls / medical catheters ✓	<i>Accept other verified examples</i>	1 max
		ii	a. have «new» properties that are not present in the individual microorganisms ✓ b. organisms form a matrix «EPS» / biofilms have a complex architecture ✓ c. increased resistance to antibiotics/treatments <b>OR</b> bioluminescence ✓ d. biofilms can be formed by different types of micro organisms that interact/cooperate ✓ e. quorum sensing <b>OR</b> high population/cell density determines expression of genes ✓		3 max

Question			Answers	Notes	Total
11.	a	i	A gene/DNA sequence «with a known location on chromosome» used for identification ✓		1 max
		ii	a. to identify species/pathogenic organisms <b>OR</b> successful uptake of DNA in genetically modified organisms/GMOs ✓ b. to detect disease due to variation in DNA «substitution/deletion» ✓ c. to determine risk of developing certain disorders ✓ d. to confer resistance to antibiotic/agent that would normally kill it ✓ e. to make cells containing gene look different <b>OR</b> green fluorescent tag makes cells visible under UV light ✓		2 max
	b		a. gene therapy trials have used viruses to deliver un-mutated copies of genes to the «somatic» cells of the patient's body ✓ b. examples of the use of viral vectors ✓ <i>eg gene therapy may provide a way to cure genetic disorders, such as severe combined immunodeficiency</i> c. one of the main problems is immune response to viruses / may cause toxicity/disease ✓ d. some viral vectors insert their genomes at a random location on one of the host chromosomes «which can disturb the function of cellular gene» / enter wrong cells «if targeting tumour» / could lead to cancer ✓		2 max

Question			Answers	Notes	Total
11.	c		<p>a. analyze tissue/blood sample for DNA sequence ✓</p> <p>b. each spot «on microarray» has small quantity of specific DNA sequence/ probe ✓</p> <p>c. reverse transcriptase used to make cDNA ✓</p> <p>d. fluorescent dye linked to cDNA ✓</p> <p>e. «cDNA» binds to/hybridizes with probes that have complementary base sequences ✓</p> <p>f. fluorescence/different colours shows probes have hybridized / which sequences were in the tissue sample ✓</p>	<p><i>Allow specific examples of genetic diseases.</i></p>	<p><b>3 max</b></p>

Question	Answers	Notes	Total
12.	<p><i>Process (max [5]):</i></p> <ul style="list-style-type: none"> <li>a. BLAST «Basic Local Alignment Search Tool» search enables comparison of an unknown sequence with databases of sequences ✓</li> <li>b. «software» finds similar sequences / aligns sequences by locating matches between two sequences ✓</li> <li>c. carries out statistical calculations «to find matches with other sequences» ✓</li> <li>d. BLASTn used to align/show similarities in nucleotide sequences in nucleic acids ✓</li> <li>e. BLASTp used to align/show similarities in amino acid sequences in proteins ✓</li> <li>f. used to identify the gene of a protein ✓</li> </ul> <p><i>Application (max [2]):</i></p> <ul style="list-style-type: none"> <li>g. one application of BLAST ✓</li> <li>h. second application of BLAST; ✓</li> </ul>	<p>eg BLAST can be used for identifying species / locating domains / establishing phylogeny / DNA mapping / other verifiable examples</p>	6 max

**Option C — Ecology and conservation**

Question			Answers	Notes	Total
13.	a		a. higher frequency of medium length worms ✓ b. shows normal distribution ✓ c. lower frequency at extremes ✓	Allow correct numerical description of these points.	1 max
	b		secondary consumer / third trophic level ✓		1
	c		a. in parasitism only one organism benefits whereas in mutualism both benefit ✓ b. example for both parasitism <b>AND</b> mutualism ✓	Do not allow <i>B. italica</i> or <i>B. exodonta</i> as examples. eg parasitic: human tapeworms <b>AND</b> mutualism: bacteria in human digestive tract	2 max



Question			Answers	Notes	Total
14.	a		a. increased biomass «with higher temperatures» ✓ b. «so» increased uptake of nutrients from soil «into the biomass» ✓ c. increased decomposition of litter «due to growth of decomposers» ✓ d. «so» increased nutrient composition of soil «L→ S» ✓ e. increased weathering of rocks «increasing minerals in soil» ✓ f. weather changes cause increased runoff from litter/leaching from soil ✓		2 max
	b		organism that is present/absent when specific environmental conditions exist <b>OR</b> organism used to assess a specific environmental condition ✓		1
	c		a. example ✓ eg: DDT / mercury / cadmium b. substance accumulates in «fat» tissue/not excreted «when consumed» ✓ c. contaminated organisms consumed «in large quantities» by higher level consumers ✓ d. pollutant becomes more concentrated at each higher trophic level / through the food chain ✓ e. some pollutants are more likely to be biomagnified «accumulate in fat tissue» <b>OR</b> some organisms are more likely to be affected by biomagnification than others <b>OR</b> biomagnification not the same at each trophic level ✓	Only [2] if verified example not given.	3 max

Question			Answers	Notes	Total
14.	d		<p>a. uncontrolled increase of numbers «in alien species»  <b>OR</b>                      become invasive  <b>OR</b>                      have no «natural» predators ✓</p> <p>b. outcompetes native species / reduces biodiversity  <b>OR</b>                      carries disease  <b>OR</b>                      preys on local species decreasing population size  <b>OR</b>                      disrupts food chains/webs ✓</p>		2 max
	e		<p>closed because islands do not exchange matter/nutrients with surroundings  <b>OR</b>                      open because islands do exchange matter/nutrients with surroundings ✓</p>		1 max

Question			Answers	Notes	Total
15.	a		a. «not very successful as» less than half of the artificial inseminations have resulted in live births ✓ b. there are no data for artificial insemination that did not result in pregnancy / no data for normal breeding success «in zoos» ✓	<i>Accept answers in the converse: «not very successful as» more than half do not result in live births</i>	1 max
	b		a. raise awareness / gain widespread public/political support for conservation actions ✓ b. breed endangered species in captivity «for reintroduction» ✓ c. education/research opportunities ✓ d. lower maintenance/cost than <i>in situ</i> conservation ✓ e. protect endangered species ✓		2 max
	c		a. number of organisms of each species «present» ✓ b. «total» number of species <b>OR</b> «total» number of organisms of all species found ✓		2 max

Question			Answers	Notes	Total
16.	a		a. production of fertilizers will decrease/price of fertilizers will rise ✓ b. less food production / increase in cost of foods ✓ c. development of alternative methods of agriculture ✓ d. Phosphate needed by living organisms for nucleic acids/ATP so lack will affect growth negatively ✓		2 max
	b		a. largest store of phosphorus «in ecosystems» is in marine sediments and minerals/phosphate rock while nitrogen is in the atmosphere ✓ b. main source of release of phosphorous is by weathering of rocks «very slow process»/ nitrogen is by bacterial action ✓ c. high concentrations of nitrogen/low concentration of phosphorous «compounds» in living organism ✓ d. phosphorus is not a very soluble mineral ✓		2 max
	c		a. assimilation by plants / conversion to amino acids ✓ b. denitrification to nitrogen gas / reduction to nitrogen «N <sub>2</sub> » by denitrifying bacteria ✓ c. reduction of nitrates to nitrites ✓		2 max

Question	Answers	Notes	Total
17.	<p>a. exponential growth occurs in ideal/unlimited environment ✓</p> <p>b. population growth determined by natality, mortality, immigration and emigration ✓</p> <p>c. natality / births / reproduction increases population <b>OR</b> number of reproducing individuals determine the rate of growth ✓</p> <p>d. as long as natality is higher than mortality ✓</p> <p>e. low mortality leads to exponential growth ✓</p> <p>f. absence of <u>limiting factors</u> will lead to exponential growth ✓</p> <p>g. «limiting factors» could be «competition for» resources/habitat / presence of predators/diseases ✓</p> <p>h. higher mortality and/or emigration compared to natality and/or immigration cause population to decrease/rate of growth to slow ✓</p> <p>i. graph with exponential curve/exponential part of sigmoid curve labelled ✓</p>	<p><i>Allow annotations on a sigmoid population graph.</i></p>	<p><b>6 max</b></p>


**Option D — Human physiology**

<b>Question</b>			<b>Answers</b>	<b>Notes</b>	<b>Total</b>
<b>18.</b>	<b>a</b>	<b>i</b>	infants from mothers with low levels of vitamin D have an increased chance of developing seizures ✓	<i>Accept answers in the converse</i>	<b>1</b>
		<b>ii</b>	lack of vitamin D in breast milk <b>OR</b> lack of vitamin D leads to lack of bone mineralization/calcium uptake ✓	<i>“Lack of vitamin D” alone is not sufficient</i>	<b>1</b>
	<b>b</b>		it can be synthesized by humans «in skin» ✓		<b>1</b>
	<b>c</b>		a. they cannot be synthesized by humans ✓ b. they must be present in the diet ✓		<b>1 max</b>
	<b>d</b>		a. tight junctions ✓ b. protein channels / membrane pumps ✓ c. large number of mitochondria ✓		<b>1 max</b>

Question			Answers	Notes	Total
19.	a		a. CHD has wider range/spread/more variation of diameter values / <i>vice versa</i> ✓ b. control has higher percentage/proportion/peak in middle values ( <i>accept numbers between 8–12</i> ) ✓	<i>Accept numerical statement supporting this</i>	1 max
	b		a. are branched/ have a Y-shape/ interconnected / connect to several neighbouring «cardiac» cells ✓ b. intercalated discs are special regions of/junctions between plasma membranes ✓ c. provide electrical coupling / enable rapid transmission of «electrical» impulses «between cells» ✓ d. ion channels in membranes ✓ e. «ease of» flow of ions allows action potentials to spread «between cardiac cells» <b>OR</b> «ease of» flow of ions allows rhythmic depolarization ✓ f. trigger action potentials without nervous input ✓	<i>Accept annotated drawings.</i>	3 max
	c		a. impulses from atria do not pass directly to ventricles «due to layer of fibrous material» ✓ b. travel to ventricle via atrio-ventricular node/AVN in wall of right atrium ✓ c. impulses from AVN sent along Bundle of His /conducting fibres/Purkinje fibres ✓ d. ensures that the atria have ejected their blood into the ventricles first before the ventricles contract ✓		2 max

Question			Answers	Notes	Total
20.	a		a. the more milk taken in, the higher the iodine levels ✓ b. when no milk consumed all girls «in study» were iodine deficient ✓ c. in all cases median value is mildly deficient so milk may have no effect ✓ d. increase above 1 cup/day may have no/little effect ✓	Accept answers in the converse.	2 max
	b		a. iodine is absorbed/used/needed by the thyroid ✓ b. «needed» to synthesise thyroxine ✓ c. lack of iodine causes swelling of thyroid gland/goiter/hypothyroidism <b>OR</b> thyroxine used to regulate metabolic rate/generate heat ✓		2 max
	c		a. «peptide hormones» do not enter cells ✓ b. bind to «specific surface» receptors in plasma membrane ✓ c. leads to production /release of a secondary messenger inside cell ✓ d. triggers a cascade of reactions in the cytoplasm ✓ e. usually involves activating or inhibiting enzymes ✓		3 max



Question			Answers	Notes	Total
21.	a	i	a. air sacs/alveoli break down/rupture ✓ b. creating one larger air space instead of many small ones / reduces the surface area of the lungs ✓ c. loss of elasticity of lung tissue ✓		2 max
		ii	supplemental oxygen / breathing techniques / bronchodilators / inhaled steroids / lung surgery to remove damaged tissue / lung transplant ✓		1 max
	b	i	curve has to be towards the right and starting together ✓ 	Must start together but can finish slightly below the original curve.	1

Question			Answers	Notes	Total
21.	b	ii	a. increased levels of CO <sub>2</sub> lower the pH of the blood ✓ b. «which results in» decreased affinity of the hemoglobin for oxygen / greater release of oxygen ✓ c. this shifts the oxygen dissociation curve to the right/Bohr shift ✓		2 max

22.			a. erythrocytes rupture when they reach the end of their life span / after 120 days ✓ b. «erythrocytes» absorbed by phagocytosis ✓ c. Kupffer cells ingest/take in erythrocytes ✓ d. Kupffer cells in sinusoids in the liver ✓ e. hemoglobin split into globin <u>and</u> heme groups ✓ f. amino acids from the globin are recycled ✓ g. heme group is further broken down into iron and bilirubin / bile pigment ✓ h. iron stored in liver / transported to bone marrow/spleen ✓ i. bilirubin released into alimentary canal/becomes part of bile ✓		6 max
-----	--	--	--	--	-------